

NT 611 Eco KF

Professional wet and dry vacuum cleaner with integrated disposal pump and Geka coupling.

Standard accessories:

- Suction hose 4 m
- Metal suction tube, 2 x 0.5 m
- Wet and dry floor tool 370 mm aluminium
- Crevice tool
- Coarse dirt filter
- Drain hose (oil-resistant)
- Auto shutdown when max. level is reached
- Auto shutdown and FI circuit breaker
- Container material Plastic
- Clip system for extension hose
- Automatic switching on / off
- Removable dirty water pump
- Parking brake
- GEKA-C coupling
- Bumper bar
- Push handle
- Safety class I
- Complete with special fire service kit
- Maintenance -free suction fans
1 piece



Order no.: 1.146-600.0

Technical data

Air flow rate (l/s)	57
Vacuum (mbar/kPa)	235/23.5
Container capacity (l)	55
Max. intake performance (W)	max. 2350
Performance disposal pump (W)	800
Standard nominal size (mm)	40
Length of cord access. (m)	10
Sound level (dB(A))	63
Weight (kg)	23
Dimensions (L x W x H) (mm)	570x430x860

Details

Description

Professional wet and dry vacuum cleaner with integrated disposal pump for contract cleaners, fire brigades and commercial use. Featuring Geka coupling or optional C-coupling. Enables the extraction and pump-out of large volumes of water.

Features & Benefits

Integrated dirty water pump

Large quantities of water can be disposed of via the disposal pump to allow continuous use.

On-board accessory storage

Large bumper with accessory storage.

Accessories

All-purpose nozzles (wet/dry)

All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.



Order no. 6.903-018.0

All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.



Order no. 6.906-383.0

Bend metal

Bend, DN 35, metal

Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).



Order no. 6.900-519.0

Bend, DN 40, metal

Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).



Order no. 6.900-276.0

Bend stainless

Bend, stainless steel ID 35

Stainless steel and crooked, ID 35



Order no. 6.903-141.0

Bend, stainless steel ID 40

Stainless steel and crooked, ID 40



Order no. 6.902-079.0

Car cleaning nozzles

Car vacuuming tool, DN 40

Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.



Order no. 6.900-952.0

Coarse filter for wet pickup

Coarse dirt filter for wet pick up

Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K KF models.



Order no. 6.904-287.0

Connecting sleeve C-DN (clip on taper), EL (electroconductive)

C 40 adapter

Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.



Order no. 5.407-109.0

Connecting sleeve C-DN (clip on taper), EL (electroconductive)

C-DN 40 adapter

Connects C 40 hose for ID 40, electrically conductive.

Order no. 5.407-111.0



Crevice nozzles

Crevice tool

Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.

Order no. 6.903-033.0



Crevice tool

Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.

Order no. 6.905-817.0



Extension hoses (Clip-system)

Extension hose, C 40

2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.

Order no. 6.906-344.0



Flat pleated filter (paper)

Flat pleated filter packed - dust class M

Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.

Order no. 6.904-367.0



Gangway nozzles

Gangway nozzle

Metal, height-adjustable, strips, rubber lips (only for NT 55/1 Eco/Tact NT 611 Eco/Tact versions)

Order no. 4.130-401.0



Inaktiv

Disposal coupling

Order no. 6.388-900.0



Paper filter (2 ply)

Paper filter bags NT 561 Eco - 611 Eco + models x5

5 paper filter bags (BIA-(U, S, G, C) dust class M) with reinforced outer ply. Standard for NT 561/611 Eco/te/M/TEA/M A, optional for NT 361 Eco BS/611 Eco BS.

Order no. 6.904-208.0



Plastic bend

Plastic bend

Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.

Order no. 5.031-904.0



Reducer (tube -> nozzle)

Reducer

Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.

Order no. 6.902-017.0



Reducer from ID 35 to 32

Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.

Order no. 6.902-072.0



Reducing sleeves

Reducer

Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.

Order no. 5.407-113.0



Repair kits

Repair set, C 40

Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

Order no. 2.639-873.0



Rubber suction tools, nose 45°

Rubber suction tools, nose 45°

45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

Order no. 6.902-105.0




Rubber tool

Rubber nozzle, ID 40

Rubber.

Order no. 4.763-057.0



Special filter bags, wet filter bags

Special filter bag, wet filter bag

Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.

Order no. 6.904-211.0



Suction hoses (Clip-system)

Suction hose

With bayonet and clip connection.

Order no. 6.906-714.0



Suction hose

4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.

Order no. 6.906-241.0



Suction hoses (Clip-system)

Suction hose (clip system), C 40, 10 m

10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.

Order no. 6.906-279.0



Suction hose

4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order no. 6.906-321.0



Suction hose (clip system), C 35

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order no. 6.906-242.0



Suction hoses complete (Clip-system)

Suction hose

4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.

Order no. 4.440-678.0



Suction tubes metal

Suction tube

Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.

Order no. 6.900-275.0



Suction tube

Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.

Order no. 6.900-514.0



Suction tubes stainless steel

Suction tube, ID 40

Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.

Order no. 6.902-081.0



Suction tube

Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.

Order no. 6.906-531.0



Target group specific vacuum cleaner accessory sets

Fire service kit ID 40

Individual parts: Oil-resistant suction hose 4 m (4.440-303.0), grout nozzle (6.903-033.0), metal bend (6.900-276.0), disposal coupling Geka-C (6.388-900.0), floor nozzle (6.903-018.0), metal suction tube 2 x 0.5 m (6.900-275.0).

Order no. 2.637-360.0



UBS non-conductive media

UBS non-conductive media

For switching off when vacuuming non-conductive fluids such as oils and greases.

Order no. 2.882-517.0

